



ARISTO FOILS MFG COMPANY.


ILL.1

Nomenclature.

CATALOG NUMBERING SYSTEM


PART NO.

AC36A021110




PART NO.

AC37A021110



PART NO.

AC38A021110





ARISTO FOILS MFG COMPANY.

CASE SIZE AND CODE

CASE SIZE CODE	MATERIAL	DIAMETER MM +/- 0.5	LENGTH MM +/- 1
A	ALUMINIUM	35	62
B	ALUMINIUM	35	75
C	ALUMINIUM	40	75
D	ALUMINIUM	40	87
E	ALUMINIUM	40	98
F	ALUMINIUM	40	107
G	ALUMINIUM	45	107
H	ALUMINIUM	45	127
J	BAKELITE	36.5	70
K	BAKELITE	36.5	86
L	BAKELITE	36.5	111
M	BAKELITE	46	86
N	BAKELITE	46	111
O	BAKELITE	52.5	86
P	BAKELITE	52.5	111



ARISTO FOILS MFG COMPANY.

STANDARD RATING FOR 36 SERIES
BAKELITE BODY

110 VOLTS AC			125 VOLTS AC		
MFD.	CASE SIZE	PART NO.	MFD.	CASE SIZE	PART NO.
21 – 25	J	AC36J021110	21 – 25	J	AC36J021125
25 – 30	J	AC36J025110	25 – 30	J	AC36J025125
30 – 36	J	AC36J030110	30 – 36	J	AC36J030125
36 – 43	J	AC36J036110	36 – 43	J	AC36J036125
40 – 60	J	AC36J040110	40 – 60	J	AC36J040125
43 – 56	J	AC36J043110	43 – 56	J	AC36J043125
56 – 72	J	AC36J056110	56 – 72	J	AC36J056125
60 – 80	J	AC36J060110	60 – 80	J	AC36J060125
72 – 88	J	AC36J072110	72 – 88	J	AC36J072125
80 – 100	J	AC36J080110	80 – 100	J	AC36J080125
88 – 108	J	AC36J088110	88 – 108	J	AC36J088125
100 – 120	J	AC36J100110	100 – 120	J	AC36J100125
108 – 130	J	AC36J108110	108 – 130	J	AC36J108125
120 – 150	J	AC36J120110	120 – 150	J	AC36J120125
130 – 156	J	AC36J130110	130 – 156	J	AC36J130125
150 – 200	J	AC36J150110	150 – 200	K	AC36K150125
145 – 175	K	AC36K145110	145 – 175	K	AC36K145125
161 – 193	K	AC36K161110	161 – 193	K	AC36K161125
189 – 227	K	AC36K189110	189 – 227	K	AC36K189125
216 – 259	K	AC36K216110	216 – 259	M	AC36M216125
200 – 250	K	AC36K200110	200 – 250	M	AC36M200125
233 – 280	K	AC36K233110	233 – 280	M	AC36M233125
243 – 292	M	AC36M243110	243 – 292	M	AC36M243125
270 – 324	M	AC36M270110	270 – 324	M	AC36M270125
340 – 408	M	AC36M340110	340 – 408	N	AC36N340125
378 – 440	M	AC36M378110	378 – 440	N	AC36N378125
400 – 480	M	AC36M400110	400 – 480	N	AC36N400125
430 – 516	M	AC36M430110	430 – 516	P	AC36P430125
460 – 552	M	AC36M460110	460 – 552	P	AC36P460125
540 – 648	P	AC36P540110	540 – 648	P	AC36P540125
590 – 708	P	AC36P590110	590 – 708	P	AC36P590125
645 – 774	P	AC36P645110	645 – 774	P	AC36P645125



ARISTO FOILS MFG COMPANY.

STANDARD RATING FOR 36 SERIES BAKELITE BODY

165 VOLTS AC			230 VOLTS AC		
MFD.	CASE SIZE	PART NO.	MFD.	CASE SIZE	PART NO.
21 – 25	J	AC36J021165	21 – 25	J	AC36J021230
25 – 30	J	AC36J025165	25 – 30	J	AC36J025230
30 – 36	J	AC36J030165	30 – 36	J	AC36J030230
36 – 43	J	AC36J036165	36 – 43	J	AC36J036230
40 – 60	J	AC36J040165	40 – 60	J	AC36J040230
43 – 56	J	AC36J043165	43 – 56	J	AC36J043230
56 – 72	J	AC36J056165	56 – 72	K	AC36K056230
60 – 80	J	AC36J060165	60 – 80	K	AC36K060230
72 – 88	J	AC36J072165	72 – 88	K	AC36K072230
80 – 100	K	AC36K080165	80 – 100	M	AC36M080230
88 – 108	K	AC36K088165	88 – 108	M	AC36M088230
100 – 120	K	AC36K100165	100 – 120	N	AC36N100230
108 – 130	K	AC36K108165	108 – 130	N	AC36N108230
120 – 150	M	AC36M120165	120 – 150	N	AC36N120230
130 – 156	M	AC36M130165	130 – 156	N	AC36N130230
150 – 200	M	AC36M150165	150 – 200	P	AC36P150230
145 – 175	M	AC36M145165	145 – 175	P	AC36P145230
161 – 193	M	AC36M161165	161 – 193	P	AC36P161230
189 – 227	M	AC36M189165	189 – 227	P	AC36P189230
216 – 259	N	AC36N216165	216 – 259	P	AC36P216230
200 – 250	N	AC36N200165	200 – 250	P	AC36P200230
233 – 280	N	AC36N233165	233 – 280	P	AC36P233230
243 – 292	N	AC36N243165			
270 – 324	N	AC36N270165			
340 – 408	P	AC36P340165			
378 – 440	P	AC36P378165			
400 – 480	P	AC36P400165			



ARISTO FOILS MFG COMPANY.

STANDARD RATING FOR 36 SERIES BAKELITE BODY

250 VOLTS AC			330 VOLTS AC		
MFD.	CASE SIZE	PART NO.	MFD.	CASE SIZE	PART NO.
21 – 25	J	AC36J021250	21 – 25	K	AC36K021330
25 – 30	J	AC36J025250	25 – 30	K	AC36K025330
30 – 36	K	AC36K030250	30 – 36	M	AC36M030330
36 – 43	K	AC36K036250	36 – 43	M	AC36M036330
40 – 60	M	AC36M040250	40 – 60	M	AC36M040330
43 – 56	M	AC36M043250	43 – 56	M	AC36M043330
56 – 72	M	AC36M056250	56 – 72	N	AC36N056330
60 – 80	M	AC36M060250	60 – 80	N	AC36N060330
72 – 88	M	AC36M072250	72 – 88	N	AC36N072330
80 – 100	N	AC36N080250	80 – 100	P	AC36P080330
88 – 108	N	AC36N088250	88 – 108	P	AC36P088330
100 – 120	N	AC36N100250	100 – 120	P	AC36P100330
108 – 130	N	AC36N108250	108 – 130	P	AC36P108330
120 – 150	P	AC36P120250	130 – 156	P	AC36P130330
130 – 156	P	AC36P130250	145 – 175	P	AC36P145330
150 – 200	P	AC36P150250	189 - 227	P	AC36P189330
145 – 175	P	AC36P145250			
161 – 193	P	AC36P161250			
189 – 227	P	AC36P189250			
216 – 259	P	AC36P216250			



ARISTO FOILS MFG COMPANY.

STANDARD RATING FOR 37 SERIES SINGLE ALU. CAN BODY

110 VOLTS AC			125 VOLTS AC		
MFD	CASE SIZE	PART NO.	MFD	CASE SIZE	PART NO.
21 – 25	A	AC37A021110	21 – 25	A	AC37A021125
25 – 30	A	AC37A025110	25 – 30	A	AC37A025125
30 – 36	A	AC37A030110	30 – 36	A	AC37A030125
36 – 43	A	AC37A036110	36 – 43	A	AC37A036125
40 – 60	A	AC37A040110	40 – 60	A	AC37A040125
43 – 56	A	AC37A043110	43 – 56	A	AC37A043125
56 – 72	A	AC37A056110	56 – 72	A	AC37A056125
60 – 80	A	AC37A060110	60 – 80	A	AC37A060125
72 – 88	A	AC37A072110	72 – 88	A	AC37A072125
80 – 100	A	AC37A080110	80 – 100	A	AC37A080125
88 – 108	A	AC37A088110	88 – 108	A	AC37A088125
100 – 120	A	AC37A100110	100 – 120	A	AC37A100125
108 – 130	A	AC37A108110	108 – 130	A	AC37A108125
120 – 150	A	AC37A120110	120 – 150	A	AC37A120125
130 – 156	B	AC37B130110	130 – 156	B	AC37B130125
150 – 200	B	AC37B150110	150 – 200	B	AC37B150125
145 – 175	B	AC37B145110	145 – 175	B	AC37B145125
161 – 193	B	AC37B161110	161 – 193	B	AC37B161125
189 – 227	C	AC37C189110	189 – 227	C	AC37C189125
216 – 259	C	AC37C216110	216 – 259	C	AC37C216125
200 – 250	C	AC37C200110	200 – 250	C	AC37C200125
233 – 280	C	AC37C233110	233 – 280	C	AC37C233125
243 – 292	C	AC37C243110	243 – 292	C	AC37C243125
270 – 324	C	AC37C270110	270 – 324	C	AC37C270125
340 – 408	E	AC37E340110	340 – 408	E	AC37E340125
378 – 440	E	AC37E378110	378 – 440	E	AC37E378125
400 – 480	E	AC37E400110	400 – 480	E	AC37E400125
430 – 516	E	AC37E430110	430 – 516	E	AC37E430125
460 – 552	E	AC37E460110	460 – 552	E	AC37E460125
540 – 648	E	AC37E540110	540 – 648	E	AC37E540125
590 – 708	E	AC37E590110	590 – 708	E	AC37E590125
645 – 794	E	AC37E645110	645 – 774	E	AC37E645125
710 – 850	E	AC37E710110	710 – 850	E	AC37E710125



ARISTO FOILS MFG COMPANY.

STANDARD RATING FOR 37 SERIES

SINGLE ALU. CAN BODY

165 VOLTS AC			230 VOLTS AC		
MFD.	CASE SIZE	PART NO.	MFD.	CASE SIZE	PART NO.
21 – 25	A	AC37A021165	21 – 25	A	AC37A021230
25 – 30	A	AC37A025165	25 – 30	A	AC37A025230
30 – 36	A	AC37A030165	30 – 36	A	AC37A030230
36 – 43	A	AC37A036165	36 – 43	A	AC37A036230
40 – 60	A	AC37A040165	40 – 60	A	AC37A040230
43 – 56	A	AC37A043165	43 – 56	A	AC37A043230
56 – 72	A	AC37A056165	56 – 72	A	AC37A056230
60 – 80	A	AC37A060165	60 – 80	A	AC37A060230
72 – 88	A	AC37A072165	72 – 88	B	AC37B072230
80 – 100	A	AC37A080165	80 – 100	B	AC37B080230
88 – 108	A	AC37A088165	88 – 100	B	AC37B088230
100 – 120	A	AC37A100165	100 – 120	B	AC37B100230
108 – 130	A	AC37A108165	108 – 130	B	AC37B108230
120 – 150	B	AC37B120165	120 – 150	C	AC37C120230
130 – 156	B	AC37B130165	130 – 156	C	AC37C130230
150 – 200	B	AC37B150165	150 – 200	C	AC37C150230
145 – 175	B	AC37B145165	145 – 175	C	AC37C145230
161 – 193	B	AC37B161165	161 – 193	C	AC37C161230
189 – 227	C	AC37C189165	189 – 227	E	AC37E189230
216 – 259	C	AC37C216165	216 – 259	E	AC37E216230
200 – 250	C	AC37C200165	200 – 250	E	AC37E200230
233 – 280	C	AC37C233165			
243 – 292	C	AC37C243165			
270 – 324	E	AC37E270165			
340 – 408	E	AC37E340165			
378 – 440	E	AC37E378165			
400 – 480	E	AC37E400165			
430 – 516	E	AC37E430165			
460 – 552	E	AC37E460165			



ARISTO FOILS MFG COMPANY.

STANDARD RATING FOR 37 SERIES

SINGLE ALU. CAN BODY

250 VOLTS AC			330 VOLTS AC		
MFD.	CASE SIZE	PART NO.	MFD.	CASE SIZE	PART NO.
21 – 25	A	AC37A021250	21 – 25	A	AC37A021330
25 – 30	A	AC37A025250	25 – 30	A	AC37A025330
30 – 36	A	AC37A030250	30 – 36	A	AC37A030330
36 – 43	A	AC37A036250	36 – 43	A	AC37A036330
40 – 60	A	AC37A040250	40 – 60	B	AC37B040330
43 – 56	A	AC37A043250	43 – 56	B	AC37B043330
56 – 72	A	AC37A056250	56 – 72	B	AC37B056330
60 – 80	A	AC37A060250	60 – 80	C	AC37C060330
72 – 88	B	AC37B072250	72 – 88	C	AC37C072330
80 – 100	B	AC37B080250	80 – 100	C	AC37C080330
88 – 108	B	AC37B088250	88 – 108	C	AC37C088330
100 – 120	B	AC37B100250	100 – 120	E	AC37E100330
108 – 130	C	AC37C108250	108 – 130	E	AC37E108330
120 – 150	C	AC37C120250	120 – 150	E	AC37E120330
130 – 156	C	AC37C130250	130 – 156	E	AC37E130330
150 – 200	C	AC37C150250	150 – 200	E	AC37E150330
145 – 175	C	AC37C145250	145 – 175	E	AC37E145330
161 – 193	C	AC37C161250	189 - 227	E	AC37E189330
189 – 227	E	AC37E189250			
216 – 259	E	AC37E216250			



ARISTO FOILS MFG COMPANY.

STANDARD RATING FOR 38 SERIES

DOUBLE CAN ALU. BODY

110 VOLTS AC			125 VOLTS AC		
MFD.	CASE SIZE	PART NO.	MFD.	CASE SIZE	PART NO.
21 – 25	D	AC38D021110	21 – 25	D	AC38D021125
25 – 30	D	AC38D025110	25 – 30	D	AC38D025125
30 – 36	D	AC38D030110	30 – 36	D	AC38D030125
36 – 43	D	AC38D036110	36 – 43	D	AC38D036125
40 – 60	D	AC38D040110	40 – 60	D	AC38D040125
43 – 56	D	AC38D043110	43 – 56	D	AC38D043125
56 – 72	D	AC38D056110	56 – 72	D	AC38D056125
60 – 80	D	AC38D060110	60 – 80	D	AC38D060125
72 – 88	D	AC38D072110	72 – 88	D	AC38D072125
80 – 100	D	AC38D080110	80 – 100	D	AC38D080125
88 – 108	D	AC38D088110	88 – 108	D	AC38D088125
100 – 120	D	AC38D100110	100 – 120	D	AC38D100125
108 – 130	D	AC38D108110	108 – 130	D	AC38D108125
120 – 150	D	AC38D120110	120 – 150	E	AC38E120125
130 – 156	E	AC38E130110	130 – 156	E	AC38E130125
150 – 200	E	AC38E150110	150 – 200	E	AC38E150125
145 – 175	E	AC38E145110	145 – 175	E	AC38E145125
161 – 193	E	AC38E161110	161 – 193	E	AC38E161125
189 – 227	G	AC38G189110	189 – 227	G	AC38G189125
216 – 259	G	AC38G216110	216 – 259	G	AC38G216125
200 – 250	G	AC38G200110	200 – 250	G	AC38G200125
233 – 280	G	AC38G233110	233 – 280	G	AC38G233125
243 – 292	G	AC38G243110	243 – 292	G	AC38G243125
270 – 324	G	AC38G270110	270 – 324	G	AC38G270125
340 – 408	H	AC38H340110	340 – 408	H	AC38H340125
378 – 440	H	AC38H378110	378 – 440	H	AC38H378125
400 – 480	H	AC38H400110	400 – 480	H	AC38H400125
430 – 516	H	AC38H430110	430 – 516	H	AC38H430125
460 – 552	H	AC38H460110	460 – 552	H	AC38H460125
540 – 648	H	AC38H540110	540 – 648	H	AC38H540125
590 – 708	H	AC38H590110	590 – 708	H	AC38H590125
645 – 774	H	AC38H645110	645 – 774	H	AC38H645125
710 – 850	H	AC38H710110	710 – 850	H	AC38H710125



ARISTO FOILS MFG COMPANY.

STANDARD RATING FOR 38 SERIES

DOUBLE CAN ALU. BODY

165 VOLTS AC			230 VOLTS AC		
MFD.	CASE SIZE	PART NO.	MFD.	CASE SIZE	PART NO.
21 – 25	D	AC38D021165	21 – 25	D	AC38D021230
25 – 30	D	AC38D025165	25 – 30	D	AC38D025230
30 – 36	D	AC38D030165	30 – 36	D	AC38D030230
36 – 43	D	AC38D036165	36 – 43	D	AC38D036230
40 – 60	D	AC38D040165	40 – 60	D	AC38D040230
43 – 56	D	AC38D043165	43 – 56	D	AC38D043230
56 – 72	D	AC38D056165	56 – 72	D	AC38D056230
60 – 80	D	AC38D060165	60 – 80	D	AC38D060230
72 – 88	D	AC38D072165	72 – 88	D	AC38D072230
80 – 100	D	AC38D080165	80 – 100	E	AC38E080230
88 – 108	D	AC38D088165	88 – 108	E	AC38E088230
100 – 120	D	AC38D100165	100 – 120	E	AC38E100230
108 – 130	D	AC38D108165	108 – 130	E	AC38E108230
120 – 150	E	AC38E120165	120 – 150	E	AC38E120230
130 – 156	E	AC38E130165	130 – 156	E	AC38E130230
150 – 200	E	AC38E150165	150 – 200	G	AC38G150230
145 – 175	E	AC38E145165	145 – 175	G	AC38G145230
161 – 193	E	AC38E161165	161 – 193	G	AC38G161230
189 – 227	G	AC38G189165	189 – 227	H	AC38H189230
216 – 259	G	AC38G216165	216 – 259	H	AC38H216230
200 – 250	G	AC38G200165	200 – 250	H	AC38H200230
233 – 280	G	AC38G233165	233 – 280	H	AC38H233230
243 – 292	G	AC38G243165			
270 – 324	H	AC38H270165			
340 – 408	H	AC38H340165			
378 – 440	H	AC38H378165			
400 – 480	H	AC38H400165			
430 – 516	H	AC38H430165			
460 – 552	H	AC38H460165			



ARISTO FOILS MFG COMPANY.

STANDARD RATING FOR 38 SERIES

DOUBLE CAN ALU. BODY

250 VOLTS AC			330 VOLTS AC		
MFD	CASE SIZE	PART NO.	MFD	CASE SIZE	PART NO.
21 - 25	D	AC38D021250	21 - 25	D	AC38D021330
25 - 30	D	AC38D025250	25 - 30	D	AC38D025330
30 - 36	D	AC38D030250	30 - 36	D	AC38D030330
36 - 43	D	AC38D036250	36 - 43	D	AC38D036330
40 - 60	D	AC38D040250	40 - 60	E	AC38E040330
43 - 56	D	AC38D043250	43 - 56	E	AC38E043330
56 - 72	D	AC38D056250	56 - 72	E	AC38E056330
60 - 80	D	AC38D060250	60 - 80	G	AC38G060330
72 - 88	E	AC38E072250	72 - 88	G	AC38G072330
80 - 100	E	AC38E080250	80 - 100	G	AC38G080330
88 - 108	E	AC38E088250	88 - 108	G	AC38G088330
100 - 120	E	AC38E100250	100 - 120	H	AC38H100330
108 - 130	E	AC38E108250	108 - 130	H	AC38H108330
120 - 150	G	AC38G120250	120 - 150	H	AC38H120330
130 - 156	G	AC38G130250	130 - 156	H	AC38H130330
150 - 200	G	AC38G150250	145 - 175	H	AC38H145330
145 - 175	G	AC38G145250	189 - 227	H	AC38H189330
161 - 193	G	AC38G161250			
189 - 227	H	AC38H189250			
216 - 259	H	AC38H216250			
200 - 250	H	AC38H200250			
233 - 280	H	AC38H233250			